



Website



Wechat



Whatsapp

www.bolinagroup.com

BOLINA

CATALOG

Product collection



BOLINA

ZHANGZHOU WANHUI SANITARY WARE CO.,LTD.

Economic Development Zone,Chang Tai District,
Zhangzhou City,Fujian Province,China

International Hotline: **+86 1380 6911200**
Email: **sueley@bolina.cc**

Top 5 Bathroom Brand in China



WELCOME TO BOLINA

1997

Established in

1200

Employees

70+

Exports to 70+ countries
and regions

27

Years of Experience

- 70+ Invention Patent
- 200+ Intellectual Property Rights
- 300+ Honors and awards

4.3M+

Plants Size Sq.Ft

- 65% High Pressure Casting
- 95% Robot Spraying

370+

370+ patents and
proprietary



COMPANY PROFILE

Bolina, one of the world's leading manufacturers of bathroom products, is based in Zhangzhou City, Fujian Province, China. Its product range includes ceramic sanitary ware, smart toilets and bathroom cabinets.

The company boast state-of-the-art production equipments, including 120-meters-long tunnel kiln utilizing German technology, High Pressure casting automation for Smart Toilet and One Piece Toilet, and robotic glazing systems from Japan.

Bolina prioritizes Research and Development to ensure superior product quality, continually innovating and creating unique designs. The company's business has expanded globally, exporting to over 50 countries and regions. Bolina has established long-term partnerships with top brands, wholesaler, and retailer supermarkets worldwide.



Certificates

Bolina has passed the **ISO9001 & ISO 14001 in 2004**. And has also passed numbers of European and American certifications such as **CUPC, Watersense, CE, Wras, Watermark, KC, SASO** and so on.



WATER SENSE



CUPC



CE



UKCA



ISO45001



ISO9001




ISO14001








KS CERTIFICATE

DISCOVER AN ARRAY OF SMART TOILETS

Create a more advanced clean that offer
state-of-the-art performance along with a
customizable comfort





SMART CLEANLINESS

-  Gentle wash for woman
-  Strong hip washing
-  Mobile cleaning
-  Instantly heat in one second
-  Filtered water





ENJOYMENT

-  Multi gear water temperature
-  Multi gear seat ring heating
-  Multi gear warm air drying
-  Induction flushing
-  Low voltage start






DESIGN



-  Direct flushing
-  IPx4 waterproof

HOSPITALITY

-  Self-cleaning nozzle
-  Precise constant temperature
-  Antibacterial material
-  Induction night light
-  Photocatalyst deodorization

CONTROL

-  Double cleaning
-  Intelligent remote control
-  One key intelligent control
-  Prevent sewage backflow
-  Easy to clean

-  Flame retardant
-  Energy saving and water saving




Gentle wash for woman

Soft and simple spraying brings a mixed cleaning feeling,exclusive female cleaning mode, healthy and hygienic.



Strong hip washing

Bubble spray, comfortable without tingling,It gives you a gentle and hygienic cleaning experience and ensures thorough cleaning.




Mobile cleaning

During the cleaning process, the arc spray bar moves back and forth to expand the cleaning range and effectively improve the cleaning effect.



Filtered water

The built-in filter device can filter the cleaning water and ensure the healthy water for cleaning.



IDEAS FOR YOUR BATHROOM

Discover the fascinating and versatile world of Bolina



WZ8407

Smart Toilet
Siphonic P-trap 180mm
Automatic open lid
Consumption:
Half flush: 1.0Gpf (3.8Lpf)
Full flush: 1.28Gpf (4.8Lpf)

Dimension: 682x393x460mm



Foot sensor to flush



Auto flush



Lady/Rear wash



Water pressure temperature adjust



Heated seat



Warm Air Dryer



Wire less Remote



Night light



WZ8468

Smart Toilet
S-trap Siphonic Jet
Remote control
Digital Display
Automatic Open and Close
Automatic Flush
Foot Sensor Flush
Automatic open lid

Dimension: 680×395×475mm



Foot sensor to flush



Auto flush



Lady/Rear wash



Water pressure temperature adjust



Heated seat



Warm Air Dryer



Wire less Remote



Night light



STYLISH TREATS FOR THE SENSE

Meet the better way to flush





BOLINA



W **CE**
WaterMark

WZ8410
ROUND - Rimless wall-hung
Smart Toilet with horizontal outlet
UF Seat cover
Quick Release

Dimension: 570x370x360mm

BOLINA



W **CE**
WaterMark

WZ8411
ROUND - Rimless
Floor standing Smart Toilet
with horizontal outlet
UF Seat cover
Quick Release

Dimension: 570x370x420mm



Rear & Front wash

- New generation curved nozzle
- 4 levels to adjust water temperature
- 3 levels to adjust water pressure
- 3 levels to adjust nozzle position
- Massage wash



SUPERIOR COMFORT

Through beautiful, innovative and modern technology products to make life easier, healthier, happier and better.



WZ8486

Wall hung Smart Toilet
Wash down **Tornado** flush design
P-trap
Water Consumption:
Half flush: 0.8Gpf (3.0Lpf)
Full flush: 1.2Gpf (4.5Lpf)

Dimension: 608x411x420mm



- | | | | | |
|---|--|---|---|--|
| 
Foot sensor to open seat | 
Auto open close lid | 
Foot sensor to flush | 
Auto flush | 
Water pressure temperature adjust |
| 
Heated seat | 
Lady/Rear wash | 
Warm Air Dryer | 
Wire less Remote | 
Night light |





CE

WZ8421A






Wall hung Smart Toilet
Wash down **Tornado** flush design
P-trap
Water Consumption:
Half flush: 0.8Gpf (3.0Lpf)
Full flush: 1.2Gpf (4.5Lpf)

Dimension: 580x375x330mm




- | | | | | |
|---|--|---|---|--|
| 
Foot sensor to open seat | 
Auto open close lid | 
Foot sensor to flush | 
Auto flush | 
Water pressure temperature adjust |
| 
Heated seat | 
Lady/Rear wash | 
Warm Air Dryer | 
Wire less Remote | 
Night light |

TORNADO FLUSHING SYSTEM

-  Superior **Clean**
-  Quiet Flush
-  Strategically Engineered Rim
-  more powerful
-  more saving



RIMLESS

- **WATER SAVING**
Using just 4.5 litres for the full flush and 3 litres for the half flush, water usage is reduced by a third.
- **EASY TO CLEAN**
the water closets have no rims to harbour germs, making cleaning quick, easy and more hygienic.
- **SILENT FLUSH**
rimless technology allows a faster and more silent flush.





W8513+T8323

Description:
ROUND - **Tornado** Flush WC Bowl,
Close Coupled horizontal outlet
P trap Wash Down
Cistern with Dual Flush 4.5/3 litres
Comfortable Height with 445mm

Dimension: 640x365x848mm



ANTIBACTERIAL FINISH
99.9%



QUICK RELEASE
COVER & SEAT

TORNADO FLUSH WITH NEW UPGRADE SERIE



CE UK
CA

W8229+T8229

Description:
ROUND - **Tornado** Flush WC Bowl,
close coupled horizontal outlet - W8763
Cistern with Dual Flush valve 4.5/3 litres - T8762

Dimension: 620x350x780mm



CE UK
CA

W8291

Description:
ROUND - Back to wall, **Tornado** Flush WC bowl
horizontal outlet - W8291
Box rim available

Dimension: 540x370x410mm



CE UK
CA

W8293A+T8292A

Description:
ROUND - **Tornado** Flush WC Bowl,
close coupled horizontal outlet - W8293A
Cistern with Dual Flush valve 4.5/3 litres - T8292A
Box rim available

Dimension: 605x400x800mm



W8293S+T8292 SASO

Description:
Close-Coupled WC Two- piece toilet
Rim type: Box rim
Outlet type: concealed S-trap
Water consumption:3.0L
Hushing system: Washdown

Dimenion: 665x400x820mm





W8490

Description:
Tornado Flush Wall Hung Toilet
P trap Wash Down

Dimension: 535x365x320mm



CE UK
W8602

Description:
Tornado Flush Wall Hung Toilet
P trap Wash Down

Dimension: 490x360x360mm



CE UK
W8603

Description:
Tornado Flush Wall Hung Toilet
P trap Wash Down

Dimension: 535x360x360mm



CE UK
W8505

Description:
Tornado Flush Wall Hung Toilet
P trap Wash Down

Dimension: 530x360x360mm





W8460

Description:
SQUARE - Wall Mounted Rimless
WC bowl - W8460

Dimension: 510x350x355mm



W8461

Description:
SQUARE - Back to wall,
Rimless WC bowl horizontal
outlet - W8461

Dimension: 520x350x400mm



W8463+T8462

Description:
SQUARE - Back to wall,
Close Coupled Rimless
WC bowl horizontal outlet - W8463
Cistern with dual flush
valve 4.5/3 litres - T8462

Dimension: 620x360x815mm





W8690/W8690R

Description:
ROUND - Wall mounted WC bowl - W8690
Rimless WC bowl - W8690R

Dimension: 555x360x350mm



W8691

Description:
ROUND - Back to wall,
Rimless WC bowl
Horizontal outlet - W8691

Dimension: 560x365x410mm



W8693+T8593

Description:
ROUND - Back to wall,
Close coupled Rimless
WC bowl horizontal outlet - W8693
Cistern with dual flush
Valve 4.5/3 litres - T8593

Dimension: 615x370x830mm



W8690RMB

Description:
Matt Black - Wall mounted WC bowl - W8690RMB
Rimless WC bowl
Glossy Black-Wall mounted WC bowl- W8690B
Box Rim WC bowl

Dimension: 555x360x350mm



W8590MW

Description:
Matt White - Wall mounted WC Bowl
Rimless WC bowl - W8590MW

Dimenion: 510x365x350mm



GLOSSY
WHITE COLOR
IS ALSO AVAILBLE



W8590MB

Description:
Matt Black - Wall mounted Rimless WC
bowl - W8590MB

Dimension: 510x365x350mm



W8591MB

Description:
Matt Black - Back to wall, Rimless
WC bowl horizontal outlet - W8591MB

Dimension: 560x365x410mm



W8593MB+T8593MB

Description:
Matt Black - Back to wall,
Close Coupled Rimless
WC bowl horizontal outlet - W8593MB
Cistern with dual flush valve 4.5/3
litres - T8593MB

Dimension: 615x375x840mm





SPECIAL FINISHES

Discover a world of style with perfect range of finishes



W8320

Description:
SQUARE - Wall mounted Rimless WC bowl - W8320

Dimension: 510x363x365mm



**CE UK
CA**
W8321

Description:
SQUARE - Back to wall,
Rimless WC bowl horizontal outlet - W8321

Dimension: 510x363x405mm



**CE UK
CA**
W8323+T8323

Description:
SQUARE - Rimless WC Bowl,
Close coupled horizontal outlet - W8323
Cistern with Dual Flush vlave 4.5/3 litres - T8323

Dimension: 620x380x805mm



**CE UK
CA**
W8293P+T8292

Description:
ROUND close coupled horizontal outlet -
W8293P
Cistern with Dual Flush valve 4.5/3 litres - T8292

Dimension: 605x400x800mm





W8351

Description:
SQUARE - Back to wall,
Rimless WC bowl horizontal outlet - W8351

Dimension: 500x363x410mm



W8381

Description:
ROUND - Back to wall Boxed Rim WC Bowl
horizontal outlet - W8381

Dimension: 500x370x429mm



W8353+T8352

Description:
SQUARE - Rimless WC Bowl,
Close coupled horizontal outlet - W8353
Cistern with Dual Flush vlave 4.5/3 litres - T8352

Dimension: 600x378x783mm



W8380+T8382

Description:
ROUND - Boxed Rim WC Bowl
Close coupled horizontal outlet - W8380
Cistern with Dual Flush vlave 4.5/3 litres - T8382

Dimension: 615x375x800mm





W8391

Description:
ROUND - Back to wall,
Rimless WC bowl
horizontal outlet - W8391

Dimension: 520x365x420mm



W8393+T8292A

Description:
ROUND - Rimless WC Bowl,
Close Coupled horizontal outlet - W8393
Cistern with Dual Flush
valve 4.5/3 litres - T8292A

Dimension: 610x374x803mm



W2203

Description:
One Piece 1.28gpf toilet, Water saving design,
Washdown flushing system - W2203
Rough in 150mm/250mm

Dimension: 670x370x740mm



ECONOMIC SERIES



W8020+T2290

Description:
Close-Coupled WC horizontal outlet - W8020
Top Push Button with Wash Down ActionCistern
with Dual Flush valve 6.0/4.2Litres-T2290

Dimension: 680×445×775mm



W8360+T2320

Description:
Close-Coupled WC horizontal outlet - W8360
Top Push Button with Wash Down Action
Cistern with Dual Flush valve 6.0/4.2Litres-T2320

Dimension: 605x 380 x 810mm



W3146+T3141

Description:
Low Close-Coupled WC horizontal outlet -
W3146
Top Push Button with Wash Down Action
Cistern with Dual Flush valve 6.0/4.2Litres-T3141

Dimension: 465x 460 x 1030mm



W8360S+T2320

Description:
Close-Coupled WC S trap - W8360S
Top Push Button with Wash Down Action
Cistern with Dual Flush valve 6.0/4.2Litres-T2320

Dimension: 605x 380 x 810mm



W8180H

Description:
Back to Wall WC horizontal outlet - W8180H
Wash Down Action with Dual Flush valve
6.0/4.2Litres

Dimension: 535 x 365 x 400mm



PEDESTAL
BASIN



CE

L8295+P8295

Description:
Basin 55cm, one tap hole - L8295
Full Pedestal - P8295

Dimension: 550x435x850mm



CE

L8295+P8295H

Description:
Basin 55cm, one tap hole - L8295
Semi Pedestal - P8295H

Dimension: 550x435x450mm



VT500+VP500

Description:
Basin and Full Pedesta

Dimension:500x400x815mm



**L2110+P2110
L2110A+P2110A**

Description:
Basin and Pedestal 1Taphole

Dimension:700x560x860mm
Dimension:660x560x860mm



VT500+P2171

Description:
Basin and Half Pedestal

Dimension: 500 x 400 x 450mm



**L2050+P2050
L2090+P2090**

Description:
Basin & Pedestal

Dimension: 505 x 395 x 810mm
Dimension:545 x 445 x 820mm



L2070

Description:
Counter Top Basin

Dimension : 545 x 405 x 120 mm



L3360

Description:
SQUARE - Over countertop
Basin 48cm - L3360

Dimension: 480x370x137mm



L3190

Description:
SQUARE - Over countertop Basin 51cm,
one tap hole - L3190

Dimension: 510x400x140mm



L3160

Description:
SQUARE - Over countertop Basin 46cm,
one tap hole - L3160

Dimension: 460x470x165mm



L3460

Description:
SQUARE - Over countertop
Slim Basin 40cm - L3460

Dimension: 395x395x130mm



L3470

Description:
SQUARE - Over countertop
Slim Basin 40cm - L3460

Dimension: 390x390x135mm



L3300U

Description:
ROUND - Over countertop
Basin 40cm - L3300U

Dimension: 405x405x140mm





L8812

Overall Dimension: 1200×500×210mm
Inner Dimension:700×300×150mm

L8811

Overall Dimension: 1100×500×210mm
Inner Dimension:760×300×150mm

L8810

Overall Dimension: 1000×500×210mm
Inner Dimension:670×310×150mm

L8890

Overall Dimension: 900×500×210mm
Inner Dimension:600×310×150mm

L8880

Overall Dimension: 800×500×210mm
Inner Dimension:555×310×150mm



L8910

Overall Dimension: 1000×500×210mm
Inner Dimension: 605×320×150mm

L8990

Overall Dimension: 900×500×210mm
Inner Dimension: 585×320×150mm

L8980

Overall Dimension: 800×500×210mm
Inner Dimension: 565×320×150mm

L8970

Overall Dimension: 700×500×210mm
Inner Dimension: 485×320×150mm

L1999

Description:SQUARE - Under
CoutertopBasin 51cm-L1999

Dimension: 515x405x185mm



L433

Description:
SQUARE - Under Coutertop
Basin 52cm -L433

Dimension: 520x370x200mm



L4160

Description:
SQUARE - Under Coutertop
Basin 60cm - L4160

Dimension: 600x420x200mm



L343

Description:
Under Coutertop
Basin 53cm -L343

Dimension: 535x410x220mm



L183

Description:
Under Coutertop
Basin 44cm - L183

Dimension: 440x365x190mm



L196

Description:
Under Coutertop
Basin 44cm - L196

Dimension: 489x425x185mm



U020

Description:
Wall Hung Urinal - U020

Dimension: 367x255x555mm



U1120AB

Description:
Wall hung urinal with sensor

Dimension: 285x285x915mm



UR001

Description:
Wall Hung Urinal

Dimension: 280x350x365mm



U1040AB

Description:
Wall hung urinal with sensor

Dimension: 300x335x690mm



U1070AB

Description:
Wall Hung Urinal With Sensor

Dimension: 350x380x750mm



U1190AB

Description:
Floor mounted urinal with sensor

Dimension: 320x350x950mm





CC-1336

Description:
Concealed Cistern
Dual Flush at 0.8Gpf(3.0Lpf)/ 1.2Gpf(4.5Lpf)

Dimension: 500×88×1120mm



CC-1610

Description:
Concealed Cistern
Dual Flush at 0.8Gpf(3.0Lpf)/ 1.2Gpf(4.5Lpf)


Dimension: 500×80×1112mm



CC-1900

Description:
Concealed Cistern
Dual Flush at 0.8Gpf(3.0Lpf)/ 1.2Gpf(4.5Lpf)

Dimension: 500×110×1135mm



CC-2001-EU

Description:
Concealed Cistern
Dual Flush at 0.8Gpf(3.0Lpf)/ 1.2Gpf(4.5Lpf)

Dimension: 500×110×1140mm



CC-1901

Description:
Concealed Cistern without Frame
Dual Flush at 0.8Gpf(3.0Lpf)/ 1.2Gpf(4.5Lpf)

Dimension: 554×80×500mm



CC-8411Z-EU

Description:
Concealed Cistern
Dual Flush at 0.8Gpf(3.0Lpf)/ 1.2Gpf(4.5Lpf)

Dimension: 484×88×724mm



SMART
BIDET SETAT SERIES





BZ003

Shape: D-shape
Color: white
Material: PP
Rated voltage: AC110V
Rated Power: 1050W
Water-proof: IPX4

Dimension: 508x375x93mm



BZ005

Shape: square
Color: white
Material: PP
Rated voltage: AC110V
Rated Power: 1050W
Water-proof: IPX4

Dimension: 515x375x93mm



BD866B

Bidet Attachment
Color: white
Material: PP
Power-free
With rotary knob

Dimension: 382x188x72mm



BD886A

Bidet Attachment
Color: white
Material: PP
Power-free
With control panel

Dimension: 402x249x95mm



H002

Night Light
Easy Release
Rated Power :220V-50Hz 50W
Power Line 1.5m
eated Seat
Te perature :30~40°C

Dimension : 437x363x59mm



H003

Night Light
Easy Release
Rated Power : 220V-50Hz 50W
Power Line 1.5m
Heated Seat
Te perature :30~40°C

Dimension : 459x368x59mm



H004

Night Light
Easy Release
Rated Power : 220V-50Hz 50W
Power Line 1.5m
Heated Seat
Te perature :30~40°C

Dimension : 471x380x59mm



H005

Night Light
Easy Release
Rated Power :220V-50Hz 50W
Power Line 1.5m
eated Seat
Te perature :30~40°C

Dimension : 463.5x366x59mm



H006

Lid with 4 buffers to enhance toilet seat
loaded strength
Friendly seat design 32C /34C /38C constant
temperature
Side switch button for heating ,with Night light
N.W:1.7KG
Lid : UF Material
Seat: PP antibacterial
One button quick release and soft close

Dimension : 465x363x51mm



CE
C-W832Z

Shape: V-shape
Color: white
Material: PP
Rated voltage: AC110V
Rated Power: 1040W
Water-proof: IPX4

Dimension: 517x403x112mm

